

SFP



Sydney
Private
Investigations

Professional Grade GPS Tracker



Contact us:



1300 773 293



sydneypi.com

Price: \$899.00 + GST

Overview

The Spousebusters GPS TRACKER can be used to track persons or assets. Its location can be tracked in REAL-TIME with live tracking via the internet through our Spousebusters GPS Web panel. This miniature unit allows you to locate its EXACT position at any time, accurate to within a couple of metres. Perfect for inside your car to track the vehicles location. Other GPS trackers can only tell you where the unit has been PREVIOUSLY... Our unit tells you its location RIGHT NOW, at anytime! It will also record it's previous locations so you can go back and look at the history or patterns of movements. The unit has a waterproof case and super magnet to allow easy attaching to the underside of any vehicle.

How it works

The unit will be set up and turned on before it even reaches you. Track it as it makes it's journey to you via Australia Post. Once it arrives, simply take it out of the box and place it under your vehicle to monitor it's movements. Track it's location from your phone, tablet, or computer, anywhere, any time. The unit is specially designed for long battery operation (One entire month on a single charge) after which time you simply recharge the unit and place it back in or under your vehicle. The high GPS & GSM sensitivities allow the unit to function underneath a vehicle without any external antennae.

Applications

- ✓ Vehicle Tracking
- ✓ Asset / Container Tracking
- ✓ Covert Tracking
- ✓ Personal Tracking

Use of Google Earth mapping



For further information on the GPS Tracking Unit, or to purchase this product, please contact our office at any time.

Contact us:

1300 773 293



sydneypi.com

GPS Receiver

Chipset	UBLOX
Waterproof	IP-67
Sensitivity	- 159db
Reacquisition	< 0.1 second
Hot	1 second typical
Warm	35 seconds typical
Cold	35 - 80 seconds typical

GSM Transceiver

Frequency	GSM 900/1800/1900 MHz or GSM 850/1800/1900 MHz
-----------	--

General

Antenna	Internal GSM antenna and active GPS patch antenna
External Power Supply	5 ~ 8v DC with charging current of 500 mA
Battery Power Supply	3.7v DC
Battery Capacity	Huge 20,000 mA Li-ion battery
Battery Operation	>one (1) entire month on a single charge
Dimensions	120 x 60 x 21 mm
Weight	200 g
Environment	Operating Temperature -20°C ~ +55°C
	Storage Temperature -40°C ~ +85°C

The logo for SPI (Sydney Power Integrators) features the letters 'SPI' in a bold, sans-serif font. The 'S' and 'P' are dark grey, while the 'I' is a solid dark red. The logo is set against a white circular background with a dark red border.

Contact us:



1300 773 293



sydneypi.com